

# Safety Data Sheet



C K Enterprises, Inc.  
1204 SW Jefferson Street  
Lee's Summit, Missouri 64081-9899  
(816) 524-1304

## Section 1. Chemical Product and Company Identification

**Product Name** CK Punch It  
**Product Use** Heavy Duty Engine Degreaser  
**Product Code** 6901-A20  
**Date of Issue** 5/19/2016  
**Supersedes** -

**Emergency Telephone Numbers**  
**CHEMTREC- 1-800-424-9300**

(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident involving chemicals)

## Section 2. Hazards Identification

### Emergency Overview

**DANGER**



### Health Hazards

Skin Corrosion/Irritation	Category 2
Specific Target Organ Toxicity, single exposure; Narcotic Effects	Category 3
Aspiration Hazard	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1B

### Environmental Hazards

Hazardous to the aquatic environment, long term hazard	Category 2
--	------------

### Precautionary Statements:

P102	Keep out of reach of children
P201	Obtain special instructions before reuse
P202	Do not handle until all safety precautions have been read and understood
P210	Keep away from heat, sparks, open flames and hot surfaces – no smoking
P251	Pressurized container: Do not pierce or burn even after use
P261	Avoid breathing in mist, spray or vapors
P264	Wash hands thoroughly after handling
P271	Use outdoors or in a well-ventilated area
P273	Avoid release into the environment
P280	Wear protective gloves, clothing and eye protection
P312	Call a Poison center or doctor/physician if you feel unwell
P301+P310	IF SWALLOWED: Immediately call a poison center or physician
P302+P352	IF ON SKIN: Wash with plenty of soap and water
P304+P340	IF INHALED: Remove victim to fresh air and keep in a recovery position comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/attention
P331	Do NOT induce vomiting
P332+P313	IF skin irritation occurs: Get medical advice/attention
P362	Remove contaminated clothing and wash before reuse
P391	Collect spillage: Hazardous to the aquatic environment
P403+P233	Store in a well-ventilated area. Keep container tightly closed.
P405	Store locked up
P410+P412	Protect from sunlight. Do not expose to temperature exceeding 122°F.
P501	Dispose of in accordance with all federal, state and local regulations

**Hazard Statements:**

H229	Pressurized container may burst if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness and dizziness
H340	May cause genetic defects
H350	May cause cancer
H411	Toxic to aquatic life with long lasting effects

**Routes of Entry Dermal, Oral, and Inhalation****Acute Effects:**

<b>Eyes</b>	Overexposure can cause redness and burning sensation
<b>Skin</b>	Causes skin irritation. Overexposure can cause defatting of the skin.
<b>Inhalation</b>	Causes irritation, headache, dizziness, nausea and loss of coordination. Overexposure can cause unconsciousness and even death.
<b>Ingestion</b>	Nausea, vomiting and gastrointestinal distress

**Section 3. Composition/Information on Ingredients**

<b>Name of Hazardous Ingredients</b>	<b>CAS Number</b>	<b>% by Weight</b>
Tetrachloroethylene	127-18-4	26-45
Aromatic Hydrocarbon Mixture >C9	64742-95-6	22-39
Isoparaffinic Petroleum Distillate	64742-47-8	13-23
Carbon Dioxide	124-38-9	1-3

**Section 4. First Aid Measures**

<b>Eye Contact</b>	Rinse cautiously with water for at least 15 minutes holding open eyelids. Remove contact lenses if present and easy to do. If irritation persists, get medical advice or attention.
<b>Skin Contact</b>	Remove all contaminated clothing; wash before reuse. Wash skin with water for at least 15 minutes. Call a poison center or doctor if you feel unwell.
<b>Inhalation</b>	Remove person to fresh air and comfortable for breathing. Call a poison center or doctor if you feel unwell.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting. Immediately call a poison center or physician. If vomiting occurs, lie on your side in the recovery position. Never give anything orally to an unconscious person.

**Section 5. Fire Fighting Measures**

National Fire Protection Association (U.S.A)  
(estimated rating)



<b>Hazardous Combustion Products</b>	CO and CO <sub>2</sub>
<b>Extinguishing Media</b>	Water, fog, dry chemical or carbon dioxide
<b>Unsuitable Extinguishing Media</b>	Water may be ineffective but can be used to cool containers
<b>Fire Fighting Procedures</b>	Stop spill/release if it can be done without risk. Move undamaged containers if it can be done safely. Contents under pressure. Keep away from ignition sources and open flames. Exposure to extreme heat and flames can cause them to rupture often with violent force. Wear protective pressure self contained breathing apparatus and appropriate gear for the fire.

**Section 6. Accidental Release Measures**

<b>Spill Clean Up</b>	Wear appropriate personal protective equipment before containing spill. Stop spill/release if it can be done without risk. Prevent spilled material from entering sewers, storm drains and waterways. Eliminate all ignition sources. Avoid contact with spilled material. Do not touch or walk through spilled material. Clean up immediately. Use absorbent sweeping compound to soak up material and put into suitable container for disposal.
-----------------------	---

## Section 7. Handling and Storage

### Handling and Storage

For industrial use only. Keep away from children. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe in vapors. Do not eat, drink or smoke while using product. Store in a cool, dry place. Protect from sunlight. Do not cut, drill, grind, weld or perform similar tasks on or near containers. Empty containers retain residue that may be dangerous. Store at temperatures below 120°F.

## Section 8. Exposure Controls/Personal Protection

### Exposure Limits

Product Name	OSHA PEL	NIOSH REL	AIHA WEEL	ACGIH TLV
Tetrachloroethylene (127-18-4)	100ppm	Lowest feasible concentration	-	25ppm
Aromatic Hydrocarbon Mixture >C9 (64742-95-6)	500ppm			
Isoparaffinic Petroleum Distillate (64742-47-8)	500ppm			
Carbon Dioxide (124-38-9)	5,000ppm	5,000ppm	-	5,000ppm

### Engineering Controls

Use in a well-ventilated area



### Personal Protective Equipment (PPE)

**Eyes** Chemical splash goggles

**Body** Rubber or neoprene gloves, long sleeved shirt and pants

**Respiratory** Use a NIOSH approved respirator if TLV are reached or exceeded

## Section 9. Physical and Chemical Properties

<b>Physical State</b>	Aerosol	<b>%VOC</b>	34.00%
<b>Color</b>	Clear	<b>Vapor Pressure</b>	N/A
<b>Odor</b>	Solvent odor	<b>Vapor Density</b>	Slower than ether
<b>Odor Threshold</b>	N/A	<b>Density</b>	8.61176 lb/gal
<b>pH</b>	N/A	<b>Solubility</b>	Insoluble in water
<b>Freezing Point</b>	N/A	<b>Partition Coefficient</b>	N/A
<b>Boiling Point</b>	Low: 121°C High: N/A	<b>Auto-Ignition Temp.</b>	N/A
<b>Flash Point</b>	N/A	<b>Decomposition Temp.</b>	N/A
<b>Evaporation Rate</b>	Slower than ether	<b>Viscosity</b>	N/A
<b>Flammability</b>	N/A	<b>Specific Gravity</b>	N/A

## Section 10. Stability and Reactivity

<b>Stability and Reactivity</b>	Stable
<b>Incompatibility</b>	None known
<b>Hazardous Polymerization</b>	Will not occur
<b>Hazardous Decomposition Products</b>	CO and CO <sub>2</sub>
<b>Conditions to Avoid</b>	High temperatures, sparks and open flames

**Section 11. Toxicological Information**

<b>Routes of Entry</b>	Dermal, oral and inhalation
<b>Symptoms</b>	See section 2
<b>Skin Irritant</b>	Yes
<b>Eye Irritant</b>	No
<b>Sensitizers</b>	Not determined
<b>Mutagenicity</b>	May cause genetic defects (Category 1B)
<b>Carcinogenicity</b>	Group 2A (IARC): Tetrachloroethylene (127-18-4)
<b>Reproductive Toxicity</b>	No information found
<b>Target Organs</b>	May cause drowsiness or dizziness (Category 3)
<b>Aspiration Hazard</b>	May be fatal if swallowed and enters airways (Category 1)

There is no toxicological data for this product as a whole. Based on relevant ingredients with known acute toxicity, the acute toxicity estimate using the additive formula (ATE) has been determined.

**Acute Toxicity****Tetrachloroethylene (127-18-4)**

<b>Dermal</b>	LD50	>3,245mg/kg (dermal, rabbit)	ATE determined beyond Category 4
<b>Oral</b>	LD50	3,005mg/kg (oral, female rat)	ATE determined beyond Category 4
<b>Inhalation</b>	LC50	5,200ppm (mouse) (4-hour exposure)	ATE determined Category 4

**Section 12. Ecological Information**

**Environmental Effects** Toxic to aquatic life with long lasting effects (Category 2)

**Section 13. Disposal Considerations**

**Waste Information** Dispose of in accordance with all Federal, State and Local pollution control regulations.

**Section 14. Transportation Information**

Regulatory Information	UN number	Proper Shipping Name	Classes	Packaging Group	Label Code
<b>DOT Classification</b>		Consumer Commodity, ORM-D			

Note: DOT Classification applies to most packaging sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

**Section 15. Regulatory Information**

**US Federal Regulations** The following substances are listed as a toxic chemical and are subject to report under the SARA act Section 313:

Tetrachloroethylene	127-18-4	26-45%
---------------------	----------	--------

The following substances have CERCLA reportable quantity values (in pounds):

<b>Tetrachloroethylene</b>	<b>127-18-4</b>	<b>100</b>
----------------------------	-----------------	------------

**State Regulations** The following substance has been found by the State of California Prop 65 for causing cancer:

**Tetrachloroethylene 127-18-4**

**Section 16. Other Information**

**Last Revision** 5/19/2016

The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.