

Safety Data Sheet



C K Enterprises, Inc.
1204 SW Jefferson Street
Lee's Summit, Missouri 64081-9899
(816) 524-1304

Section 1. Chemical Product and Company Identification

Product Name CK Orange Cream Sicle
Product Use Eliminates odors
Product Code 6925-A10
Date of Issue 2/19/16
Supersedes -

Emergency Telephone Numbers
CHEMTREC- 1-800-424-9300

(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident involving chemicals)

Section 2. Hazards Identification

Emergency Overview

DANGER



Health and Physical Hazards

Flammable aerosol	Category 1
Specific Target Organ Toxicity- Single Exposure Narcotic Effects	Category 3
Serious Eye Damage/ Eye Irritation	Category 2A

Precautionary Statements:

P102	Keep out of reach of children
P210	Keep away from heat, sparks, open flames and hot surfaces – no smoking
P211	Do not spray on open flames or other ignition sources
P251	Pressurized container: Do not pierce or burn even after use
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 122°F.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P271	Use only outdoors, or in well-ventilated area.
P304+P340	IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P264	Wash hands thoroughly after handling.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	IF eye irritation persists: Get medical advice/attention.

Hazard Statements:

H222	Extremely flammable aerosol
H229	Pressurized container may burst if heated
H336	May cause drowsiness or dizziness
H319	Causes serious eye irritation

Routes of Entry

Dermal, Oral, and Inhalation

Acute Effects:

Eyes	Overexposure can cause redness and burning sensation
Skin	Overexposure can cause defatting.
Inhalation	Causes irritation, headache, dizziness, nausea and loss of coordination. Overexposure can cause unconsciousness and even death.
Ingestion	Nausea, vomiting and gastrointestinal distress

Section 3. Composition/Information on Ingredients

Name of Hazardous IngredientsAcetone
Propane**CAS Number**67-64-1
74-98-6**% by Weight**46-81
19-34**Section 4. First Aid Measures**

Eye Contact Rinse cautiously with water for at least 15 minutes holding open eyelids. Remove contact lenses if present and easy to do. If irritation persists, get medical advice or attention.

Skin Contact Remove all contaminated clothing; wash before reuse. Wash skin with water for at least 15 minutes. Call a poison center or doctor if you feel unwell.

Inhalation Move person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.

Ingestion Rinse mouth. Do not induce vomiting. Immediately call a poison center or physician. If vomiting occurs, lie on your side in the recovery position. Never give anything orally to an unconscious person.

Section 5. Fire Fighting MeasuresNational Fire Protection Association (U.S.A)
(estimated rating)

Hazardous Combustion Products CO and CO₂

Extinguishing Media Water, fog, dry chemical or carbon dioxide

Unsuitable Extinguishing Media Water may be ineffective but can be used to cool containers

Fire Fighting Procedures Stop spill/release if it can be done without risk. Move undamaged containers if it can be done safely. Contents under pressure. Keep away from ignition sources and open flames. Exposure to extreme heat and flames can cause them to rupture often with violent force.

Section 6. Accidental Release Measures

Spill Clean Up Stop spill/release if it can be done without risk. Prevent spilled material from entering sewers, storm drains and waterways. Eliminate all ignition sources. Avoid contact with spilled material. Wear appropriate personal protection to avoid contact with skin or eyes or through inhalation. Do not touch or walk through spilled material. Clean up immediately. Use absorbent sweeping compound to soak up material and put into suitable container for disposal.

Section 7. Handling and Storage

Handling and Storage For industrial use only. Keep away from children. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe in vapors. Do not eat, drink or smoke while using product. Store in a cool, dry place. Protect from sunlight. Empty containers retain residue that may be dangerous.

Section 8. Exposure Controls/Personal Protection**Exposure Limits**

Product Name	OSHA PEL	NIOSH REL	AIHA WEEL	ACGIH TLV
Propane (74-98-6)	1,000ppm TWA	1,000ppm TWA	-	2,500ppm TWA
Acetone (67-64-1)	1,000ppm TWA	250ppm TWA	-	500ppm TWA

Engineering Controls Use in a well-ventilated area

Personal Protective Equipment (PPE)

Eyes Wear safety glasses or safety goggles. Contact lenses may absorb irritants

Body Wear gloves and long sleeve shirt, long pants and other protective clothing to minimize skin contact. Wear

chemical resistant gloves.

Respiratory Use a NIOSH approved respirator if TLV are reached or exceeded. When spraying more than one half can continuously or more than one can consecutively, use NIOSH approved respirator.

Section 9. Physical and Chemical Properties

Physical State	Aerosol	Explosive Limits	Lower: 1.8 Upper 9.5
Color	Clear	Vapor Pressure	N/A
Odor	Citrus Scent	Vapor Density	Slower than ether
Odor Threshold	N/A	Density	5.66323 lb/gal
pH	N/A	% VOC	28.7500%
Freezing Point	N/A	Water Solubility	Slightly
Boiling Point	N/A	Auto-Ignition Temp.	N/A
Flash Point	N/A	Decomposition Temp.	N/A
Evaporation Rate	Slower than ether	Viscosity	N/A
Flammability	Flash Point below 73°F	Specific Gravity	N/A

Section 10. Stability and Reactivity

Stability and Reactivity	Stable
Incompatibility	None known
Hazardous Polymerization	Will not occur
Hazardous Decomposition Products	CO and CO ₂
Conditions to Avoid	High temperatures, sparks and open flames

Section 11. Toxicological Information

Routes of Entry	Dermal, oral and inhalation
Symptoms	See section 2
Skin Irritant	Overexposure will cause defatting of the skin
Eye Irritant	Causes serious eye irritation. May cause redness and burning sensation with over exposure.
Sensitizers	Not determined
Mutagenicity	No information found
Carcinogenicity	No information found
Reproductive Toxicity	No information found
Target Organs	May cause drowsiness and dizziness if inhaled or overexposed.

Acetone

Dermal	No data
Oral	LD50 oral 5800mg/kg (5800mg/kg) Rat LD50 oral 5340mg/kg (5340mg/kg) Rabbit
Inhalation	LC50 Inhalation 50100mg/m ³ /8H (50100mg/m ³) Rat American Industrial Hygiene Association Journal. Vol. 20, Pg. 364, 1959.

Propane

No data found on acute toxicity of propane

Section 12. Ecological Information

Environmental Effects No ecological information available

Section 13. Disposal Considerations

Waste Information Dispose of in accordance with all Federal, State and Local pollution control regulations.

Section 14. Transportation Information

Regulatory Information	UN number	Proper Shipping Name	Classes	Packaging Group	Label Code
DOT Classification	-	Consumer Commodity	ORM-D	-	None

Note: DOT Classification applies to most packaging sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

Section 15. Regulatory Information

US Federal Regulations The following substances are listed as a toxic chemical and are subject to report under the SARA act Section 313: None

The following substances have CERCLA reportable quantity values (in pounds):

Acetone	67-64-1	5000lbs
RCRA Waste no. U002		

Propane (CAS # 74-98-6) CAA 112(r) TQ listed: 10,000

State Regulations -

Section 16. Other Information

Last Revision 2/19/2016

The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.