

# Safety Data Sheet



C K Enterprises, Inc.  
1992 NW US 50 Highway  
Lone Jack, MO 64070  
(816) 524-1304

## Section 1. Chemical Product and Company Identification

**Product Name** Metal Conditioner F-20  
**Product Use** Acid Detergent-Descaler  
**Product Code** 2070  
**Date of Issue** 11/11/20  
**Supersedes** 3/12/18

**Emergency Telephone Numbers**  
**CHEMTREC- 1-800-424-9300**

(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident involving chemicals)

## Section 2. Hazards Identification

### Emergency Overview

**DANGER**



### Health Hazards

Acute Toxicity; Oral, Inhalation	Category 4
Skin Corrosion/Irritation	Category 1
Serious eye damage/ eye irritation	Category 1

### Precautionary Statements:

P260	Do not breathe in mist, vapors, spray or fumes
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke while using this product
P271	Use outdoors or in a well-ventilated area
P280	Wear protective gloves, clothing and eye protection
P301+P330+P331+P312	IF SWALLOWED: Rinse mouth. Do not induce vomiting. Call a poison center or physician if you feel unwell.
P303+P361+P353	IF ON SKIN (or hair): Remove contaminated clothing. Rinse skin with water/shower.
P304+P340+P312	IF INHALED: Remove victim to fresh air and keep in a recovery position comfortable for breathing. Call a poison center or physician if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310	Immediately call a poison center or doctor
P363	Wash all contaminated clothing before reuse
P405	Store locked up
P501	Dispose of in accordance with all federal, state and local regulations

### Hazard Statements:

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H332	Harmful if inhaled

**Routes of Entry** Dermal, Oral, and Inhalation

### Acute Effects:

<b>Eyes</b>	Vapors, liquids and mists are extremely corrosive to the eyes. Brief contact of the vapors will be severely irritating. Brief contact of the liquid or mists can severely damage the eyes, and prolonged contact may cause permanent eye injury, which may be followed by blindness.
<b>Skin</b>	Vapors, mists and liquid are extremely corrosive to the skin. Vapors will severely irritate the skin and liquids and mists will severely burn the skin. Prolonged liquid contact will burn or destroy surrounding tissue.

- Inhalation** Vapors and mists are extremely corrosive to the nose, throat and mucous membranes. Bronchitis, pulmonary edema and chemical pneumonitis may occur. Irritation, coughing, chest pain, and difficulty breathing may occur with brief exposure, while prolonged exposure may result in more severe irritation and tissue damage. Onset of symptoms may be delayed several hours. Breathing high concentration for several minutes may result in death several hours later.
- Ingestion** Vapors, mists and liquid are extremely corrosive to the mouth, and throat. Swallowing the liquid burns the tissues, causes severe abdominal pain, nausea, vomiting, kidney damage, and collapse. Swallowing large quantities can cause death.

### Section 3. Composition/Information on Ingredients

<u>Name of Hazardous Ingredients</u>	<u>CAS Number</u>	<u>% by Weight</u>
Hydrogen Fluoride	7664-39-3	<5
Sulfuric Acid	7664-93-9	<10
Phosphoric Acid	7664-38-2	<5
2-butoxyethanol	111-76-2	<5

### Section 4. First Aid Measures

- Eye Contact** Flush immediately with plenty of clean water for at least 15 minutes. Seek immediate medical attention immediately. Treat all cases like hydrofluoric acid contact.
- Skin Contact** Flush immediately with plenty of clean water. If burns or rash develop, seek medical attention. Treat like hydrofluoric acid contact.
- Inhalation** Remove to fresh air. Begin CPR if breathing has stopped and seek immediate medical attention.
- Ingestion** Do not induce vomiting. Give several glasses of water. Never give anything to an unconscious person orally. Seek immediate medical attention.

### Section 5. Fire Fighting Measures

National Fire Protection Association (U.S.A)  
(estimated rating)



<b>Hazardous Combustion Products</b>	Not combustible
<b>Extinguishing Media</b>	Media applicable to surrounding fire
<b>Unsuitable Extinguishing Media</b>	N/A
<b>Fire Fighting Procedures</b>	Wear protective gear. Use water spray to cool fire-exposed containers.

### Section 6. Accidental Release Measures

- Spill Clean Up** All spilled material must be contained and kept out of waterways, sewers and drains. The spilled chemical should be absorbed with an inert material. Flush cleaned area thoroughly with water.

### Section 7. Handling and Storage

- Handling and Storage** Keep container tightly closed when not in use. Store at moderate temperatures. Do not contaminate. Keep from freezing. Keep out of the reach of children. Have eyewash accessible to use in handling area.

**Section 8. Exposure Controls/Personal Protection****Exposure Limits**

Product Name	OSHA PEL	NIOSH REL	AIHA WEEL	ACGIH TLV
Hydrogen Fluoride (7664-39-3)	3ppm	3ppm		0.5ppm
Sulfuric Acid (7664-93-9)	1mg/m <sup>3</sup>	1mg/m <sup>3</sup>		0.2mg/m <sup>3</sup>
2-butoxyethanol (111-76-2)	50ppm	5ppm		20ppm
Phosphoric Acid (7664-38-2)	1mg/m <sup>3</sup>	1mg/m <sup>3</sup>		1mg/m <sup>3</sup>

**Engineering Controls** Local exhaust is normally a dequate

**Personal Protective Equipment (PPE)**

**Eyes** Chemical splash goggles or a face shield  
**Body** Rubber or neoprene gloves; rubber aprons  
**Respiratory** Use NIOSH approved respirator if TLV are reached or exceeded

**Section 9. Physical and Chemical Properties**

<b>Physical State</b>	Liquid	<b>Explosive Limits</b>	N/A
<b>Color</b>	Clear	<b>Vapor Pressure</b>	N/A
<b>Odor</b>	Slightly acidic	<b>Vapor Density</b>	N/A
<b>Odor Threshold</b>	N/A	<b>Relative Density</b>	N/A
<b>pH</b>	0.0-1.0	<b>Solubility</b>	Complete
<b>Freezing Point</b>	N/A	<b>Partition Coefficient</b>	N/A
<b>Boiling Point</b>	N/A	<b>Auto-Ignition Temp.</b>	N/A
<b>Flash Point</b>	Not combustible	<b>Decomposition Temp.</b>	N/A
<b>Evaporation Rate</b>	>1	<b>Viscosity</b>	N/A
<b>Flammability</b>	Non-Flammable	<b>Specific Gravity</b>	1.06-1.13

**Section 10. Stability and Reactivity**

<b>Stability and Reactivity</b>	Stable
<b>Incompatibility</b>	Alkaline materials and will etch glass
<b>Hazardous Polymerization</b>	Will not occur
<b>Hazardous Decomposition Products</b>	None
<b>Conditions to Avoid</b>	N/A

**Section 11. Toxicological Information**

<b>Routes of Entry</b>	Dermal, oral and inhalation
<b>Symptoms</b>	Irritation, corrosion, toxic
<b>Skin Irritant</b>	Yes
<b>Eye Irritant</b>	Yes
<b>Sensitizers</b>	Not determined
<b>Mutagenicity</b>	No information found
<b>Carcinogenicity</b>	2-butoxyethanol (111-76-2): Group 3 (not classifiable as a human carcinogen)
<b>Reproductive Toxicity</b>	No information found
<b>Target Organs</b>	None

There is no toxicological data for this product as a whole. Based on relevant ingredients with known acute toxicity, the acute toxicity estimate using the additive formula (ATE) has been determined.

**Acute Toxicity**

Test	Results	Basis
Dermal	6,717mg/kg	ATE determined beyond Category 4
Oral	999mg/kg	ATE determined Category 4
Inhalation	6,403ppm	ATE determined Category 4

**Section 12. Ecological Information**

**Environmental Effects** No ecological information available

**Section 13. Disposal Considerations**

**Waste Information** Dispose of in accordance with all Federal, State and Local pollution control regulations.

**Section 14. Transportation Information**

Regulatory Information	UN number	Proper Shipping Name	Classes	Packaging Group	Label Code
DOT Classification	UN3265	Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric Acid, Hydrofluoric acid & Phosphoric Acid)	8	PGI	Corrosive

Note: DOT Classification applies to most packaging sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

**Section 15. Regulatory Information**

**US Federal Regulations** The following substances are listed as a toxic chemical and are subject to report under the SARA act Section 313:

Hydrogen Fluoride	7664-39-3	<5%
Sulfuric Acid	7664-93-9	<10%
2-butoxyethanol	111-76-2	<5%

The following substances have CERCLA reportable quantity values (in pounds):

<b>Hydrogen Fluoride</b>	<b>7664-39-3</b>	<b>100</b>
<b>Sulfuric Acid</b>	<b>7664-93-9</b>	<b>1,000</b>
<b>Phosphoric Acid</b>	<b>7664-38-2</b>	<b>5,000</b>

**State Regulations** none

**Section 16. Other Information**

**Last Revision** 11/11/20

The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.